CONTENTS

JULY

EDITORIAL

1 New concepts in respiratory function
G. B. Drummond

NEW CONCEPTS IN RESPIRATORY FUNCTION

2 Gas exchange modelling: no more gills, please
C. E. W. Hahn and A. D. Farmery

16 Functional magnetic resonance imaging of the lung
G. H. Mills, J. M. Wild, B. Eberle and E. J. R. Van Beek

31 The upper airway during anaesthesia
D. R. Hillman, P. R. Platt and P. R. Eastwood

40 Influence of anaesthesia and analgesia on the control of breathing
A. Dahan and L. J. Teppema

50 Drug handling by the lungs
F. Boer

61 New concepts of atelectasis during general anaesthesia
L. Magnusson and D. R. Spahn

73 The abdominal muscles in anaesthesia and after surgery
G. B. Drummond

81 Novel aspects of pulmonary mechanics in intensive care
I. de Chazal and R. D. Hubmayr

92 Practical assessment of respiratory mechanics
O. Stenqvist

106 Patient–ventilator interaction
E. Kondili, G. Prinianakis and D. Georgopoulos

120 Recent advances in gas exchange measurement in intensive care patients
T. S. Walsh

132 Lung injury after thoracotomy
S. V. Baudouin

143 Liquid ventilation
U. Kaisers, K. P. Kelly and T. Busch

CORRESPONDENCE

152 Anaesthesia-related diplopia after cataract surgery

153 Acute lung injury following one-lung anaesthesia

154 Management of failed intubation in a septic parturient

155 Spinal anaesthesia: a comparison of plain ropivacaine 5 mg ml^{-1} with bupivacaine 5 mg ml^{-1} for major orthopaedic surgery

157 The 'swoosh' test—an evaluation of a modified 'whoosh' test in children

158 Ischaemia-reperfusion studies and diabetes mellitus

159 Relationship of difficult laryngoscopy to long-term non-insulin-dependent diabetes and hand abnormality detected using the 'prayer sign'

160 Duration of vecuronium-induced neuromuscular blockade is shortened during hyperthermic intraoperative intraperitoneal chemotherapy

BOOK REVIEWS

162 *Recent Advances in Anaesthesia and Intensive Care (22)*

162 *Clinical Teaching. A guide to teaching practical anaesthesia*

163 *Key Topics in Clinical Research*

163 *International Anesthesiology Clinics. Trauma*

165 ERRATUM

AUGUST

EDITORIAL

167 Uses of MAC
D. White

CLINICAL INVESTIGATIONS

170 Age-related iso-MAC charts for isoflurane, sevoflurane and desflurane in man
R. W. D. Nickalls and W. W. Mapleson

175 Dose-related effect of sevoflurane sedation on higher control of eye movements and decision making
S. A. R. Nouraei, N. de Pennington, J. G. Jones and R. H. S. Carpenter

184 Quantal ventilatory variability during spontaneous breathing anaesthesia
P. D. Larsen, Y. C. Tzeng and D. C. Galletly

190 Effect of nitrous oxide on cerebrovascular reactivity to carbon dioxide in children during sevoflurane anaesthesia
E. Wilson-Smith, C. Karsli, I. Luginbuehl and B. Bissonnette

196 Plasma substitution effects of a new hydroxyethyl starch HES 130/0.4 compared with HES 200/0.5 during and after extended acute normovolaemic haemodilution
B. E. Ickx, F. Bepperling, C. Melot, C. Schulman and P. J. Van der Linden

203 Comparison of different quantitative sensory testing methods during remifentanil infusion in volunteers
B. Gustorff, K. H. Hoerauf, P. Lierz and H. G. Kress

209 Pre-emptive analgesic efficacy of tramadol compared with morphine after major abdominal surgery
H. Unlugenc, M. Ozalevli, Y. Gunes, T. Guler and G. Isik

214 Nausea and vomiting after fast-track cardiac anaesthesia
A. Kogan, L. A. Eidelman, E. Raanani, B. Orlov, O. Shenkin and B. A. Vidne

218 Emetic effects of morphine and piritramide
C. Breitfeld, J. Peters, T. Vockel, C. Lorenz and M. Eikermann

LABORATORY INVESTIGATIONS

224 Effects of sustained post-traumatic shock and initial fluid resuscitation on extravascular lung water content and pulmonary vascular pressures in a porcine model of shock
M. Nirmalan, T. Willard, D. J. Edwards, P. Dark and R. A. Little

233 Spinal anaesthesia indirectly depresses cortical activity associated with electrical stimulation of the reticular formation
J. F. Antognini, S. L. Jinks, R. Atherley, C. Clayton and E. Carstens

239 Good short-term agreement between measured and calculated tracheal pressure
M. Lichtwarck-Aschoff, A. Helmer, R. Kawati, M. Lattuada, U. H. Sjöstrand, N. Zügel, J. Guttmann and G. Hedenstierna

REVIEW ARTICLES

249 Hidden hazards and dangers associated with the use of HME/filters in breathing circuits. Their effect on toxic metabolite production, pulse oximetry and airway resistance
E. G. Lawes

265 Disorders of the lymph circulation: their relevance to anaesthesia and intensive care
A. Mallick and A. R. Bodenham

SHORT COMMUNICATIONS

273 Effects of magnesium sulphate on cerebral haemodynamics in healthy volunteers: a transcranial Doppler study
R. Sherman, P. Armory, P. Moody, T. Hope and R. P. Mahajan

276 Blood/gas partition coefficients of halothane, isoflurane and sevoflurane in horse blood
A. Bergadano, R. Lauber, A. Zbinden, U. Schatzmann and Y. Moens

279 Pain disaggregation theory—statistical nonsense or a pointer to a paradigm for quantum nociception?
I. D. Conacher, G. Sudarshan and A. K. Soni

281 Effects of a $5HT_2$ receptor agonist on anaesthetized pigs susceptible to malignant hyperthermia
M. U. Gerbershagen, F. Wappler, M. Fiege, K. Kolodzie, R. Weißhorn, W. Szafarczyk, C. Kudlik and J. Schulte am Esch

284 Supplemental oxygen for prevention of nausea and vomiting after breast surgery
S. Purhonen, M. Niskanen, M. Wüstefeld, P. Mustonen and M. Hynynen

287 Effect of intravenous alizapride on spinal morphine-induced pruritus
M. L. Horta and P. T. G. Vianna

CASE REPORTS

290 Awareness detected by auditory evoked potential monitoring
L. Trillo-Urrutia, S. Fernández-Galinski and J. Castaño-Santa

292 Management of transfusion-related acute lung injury with extracorporeal cardiopulmonary support in a four-year-old child
S. M. Nouraei, J. P. Wallis, D. Bolton and A. Hasan

294 Welded tracheal stent removal in a child under cardiopulmonary bypass
S. C. Kao, W. K. Chang, M. W. Pong, K. W. Cheng, K. H. Chan and S. K. Tsai

297 Repeated inadvertent endobronchial intubation during laparoscopy
M. Mackenzie and K. MacLeod

299 CORRESPONDENCE

304 BOOK REVIEWS

307 ERRATUM

SEPTEMBER

EDITORIAL

309 The problem of coordinating simulator-based instruction with experience in the real workplace
R. Glavin and D. Greaves

CLINICAL INVESTIGATIONS

312 Failure of simulation training to change residents' management of oesophageal intubation
M. A. Olympio, R. Whelan, R. P. A. Ford and I. C. M. Saunders

319 Expertise in practice: an ethnographic study exploring acquisition and use of knowledge in anaesthesia
A. Smith, D. Goodwin, M. Mort and C. Pope

329 Detection of awareness in surgical patients with EEG-based indices—bispectral index and patient state index
G. Schneider, A. W. Gelb, B. Schmeller, R. Tschakert and E. Kochs

336 Comparison of Alaris AEP index and bispectral index during propofol-remifentanil anaesthesia
S. Kreuer, J. Bruhn, R. Larsen, M. Hoepstein and W. Wilhelm

341 Bispectral index changes following etomidate induction of general anaesthesia and orotracheal intubation
M.-A. Lallemand, C. Lentschener, J.-X. Mazoit, P. Bonnichon, I. Manceau and Y. Ozier

347 Effect site concentrations of remifentanil and pupil response to noxious stimulation
L. Barvais, E. Engelman, J. M. Eba, E. Coussaert, F. Cantraine and G. N. Kenny

353 Non-selective and cyclo-oxygenase-2-specific non-steroidal anti-inflammatory drugs impair the hyperaemic response of skin to brief axillary artery occlusion
I. K. Moppett, J. A. Davies and R. P. Mahajan

357 Propacetamol augments inhibition of platelet function by diclofenac in volunteers
E. Munsterhjelm, T. T. Niemi, M. T. Syrjälä, O. Ylikorkala and P. H. Rosenberg

363 Analgesic efficacy of rectal acetaminophen and ibuprofen alone or in combination for paediatric day-case adenoidectomy
H. Viitanen, N. Tuominen, H. Vääräniemi, E. Nikanne and P. Annila

368 Minimum dose of intrathecal diamorphine required to prevent intraoperative supplementation of spinal anaesthesia for Caesarean section
S. Saravanan, A. P. C. Robinson, A. Qayoum Dar, M. O. Columb and G. R. Lyons

373 Randomized comparison of laryngeal tube with classic laryngeal mask airway for anaesthesia with controlled ventilation
T. M. Cook, B. McCormick and T. Asai

LABORATORY INVESTIGATIONS

379 Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs
S. Kabara, K. Hirota, H. Yoshioka, T. Kudo, H. Ishihara and A. Matsuki

385 Roles of nociceptin/orphanin FQ and nociceptin/orphanin FQ peptide receptor in respiratory rhythm generation in the medulla oblongata: an *in vitro* study
K. Takita, Y. Morimoto and O. Kemmotsu

390 Desflurane affords greater protection than halothane against focal cerebral ischaemia in the rat
B. Haelewyn, A. Yvon, J. L. Hanouz, E. T. MacKenzie, P. Ducouret, J. L. Gérard and S. Roussel

REVIEW ARTICLES

397 Continuous intravascular blood gas monitoring: development, current techniques, and clinical use of a commercial device
M. Ganter and A. Zollinger

408 New options for airway management: intubating fibreoptic stylets
E. B. Liem, D. G. Bjoraker and D. Gravenstein

SHORT COMMUNICATIONS

419 New method to evaluate the practice of positive pressure ventilation in intensive care units
R. J. Roche, C. Mackinlay, A. McLaughlin, K. Panikkar and J. D. Young

421 Comparison of remifentanil and alfentanil during anaesthesia for patients undergoing direct laryngoscopy without intubation
E. Wiel, M. Davette, L. Carpentier, P. Fayoux, C. Erb, D. Chevalier and B. Vallet

424 Genotype and interleukin-10 responses after cardiopulmonary bypass
H. F. Galley, P. R. Lowe, R. L. Carmichael and N. R. Webster

427 Cross-tolerance between spinal neostigmine and morphine in the rat
S. A. Dunbar and I. G. Karamian

CASE REPORTS

430 Temporary trigeminal disorder as a result of pneumocephalus after subarachnoid block
F. Cosío, M. A. Bermejo-Alvarez, P. Fervienza, L. J. Jiménez, E. Castañón and M. L. Díaz

432 Management of pregnancy in a patient with severe haemophilia A
P. Dhar, S. Abramovitz, D. DiMichele, C. B. Gibb and F. Gadalla

435 Recurarization in the recovery room following the use of magnesium sulphate
W. J. Fawcett and J. P. Stone

438 Cerebral oxygenation measured by near-infrared spectroscopy during circulatory arrest and cardiopulmonary resuscitation
N. Nagdyman, T. P. K. Fleck, P. Ewert, H. Abdul-Khaliq, M. Redlin and P. E. Lange

442 Perioperative management of a CADASIL type arteriopathy patient
J. H. Dieu and F. Veyckemans

445 CORRESPONDENCE

453 BOOK REVIEWS

458P ABSTRACTS
Proceedings of the Anaesthetic Research Society Meeting, Middlesborough, July 10–11, 2003

OCTOBER

EDITORIAL

469 Accreditation in transoesophageal echocardiography
J. Swanevelder, D. Chin, J. Kneeshaw, J. Chambers, S. Bennett, D. Smith and P. Nikoyannopoulos

CLINICAL INVESTIGATIONS

473 Use of myocardial tissue Doppler imaging for intraoperative monitoring of left ventricular function
K. Skarvan, M. Filipovic, J. Wang, W. Brett and M. Seeberger

481 Intra-atrial ECG is not a reliable method for positioning left internal jugular vein catheters
W. Schummer, S. Herrmann, C. Schummer, F. Funke, J. Steenbeck, J. Fuchs, T. Uhlig and K. Reinhart

487 Measurement of motor evoked potentials following repetitive magnetic motor cortex stimulation during isoflurane or propofol anaesthesia
V. Rohde, G. A. Krombach, J. H. Baumert, I. Kreitschmann-Andermahr, M. Weinzierl and J. M. Gilsbach

493 Influence of propofol concentrations on multipulse transcranial motor evoked potentials
N. Nathan, F. Tabaraud, F. Lacroix, D. Mouliès, X. Viviand, A. Lansade, G. Terrier and P. Fiess

498 Comparison of end-tidal and transcutaneous measures of carbon dioxide during general anaesthesia in severely obese adults
J. Griffin, B. E. Terry, R. K. Burton, T. L. Ray, B. P. Keller, A. L. Landrum, J. O. Johnson and J. D. Tobias

502 Recovery of elderly patients from two or more hours of desflurane or sevoflurane anaesthesia
J. E. Heavner, A. D. Kaye, B.-K. Lin and T. King

507 Accuracy of the 'Paedfusor' in children undergoing cardiac surgery or catheterization
A. Absalom, D. Amutike, A. Lal, M. White and G. N. C. Kenny

514 Randomized trial of novel tetracaine patch to provide local anaesthesia in neonates undergoing venepuncture
C. P. Long, D. F. McCafferty, N. M. Sittlington, H. L. Halliday, A. D. Woolfson and D. S. Jones

519 Comparison of three different volumes of mepivacaine in axillary plexus block using multiple nerve stimulation
A. Serradell, R. Herrero, J. A. Villanueva, J. A. Santos, J. M. Moncho and J. Masdeu

525 Influence of thoracic epidural analgesia on cardiovascular autonomic control after thoracic surgery
M. Licker, A. Spiliopoulos and J. M. Tschopp

532 Efficacy of augmentation of epidural analgesia for Caesarean section
J. C. Tortosa, N. S. Parry, F. J. Mercier, J. X. Mazoit and D. Benhamou

536 Effect of intrathecal tramadol administration on postoperative pain afer transurethral resection of prostate
J. A. Alhashemi and A. M. Kaki

LABORATORY INVESTIGATIONS

541 Heritable differences in respiratory drive and breathing pattern in mice during anaesthesia and emergence
H. Groeben, S. Meier, C. G. Tankersley, W. Mitzner and R. H. Brown

546 Effects of endogenous and synthetic opioid peptides on neutrophil function *in vitro*
A. Menzebach, J. Hirsch, G. Hempelmann and I. D. Welters

REVIEW ARTICLES

551 Anaesthetics and cardiac preconditoning. Part I. Signalling and cytoprotective mechanisms
M. Zaugg, E. Lucchinetti, M. Uecker, T. Pasch and M. C. Schaub

566 Anaesthetics and cardiac preconditioning. Part II. Clinical implications
M. Zaugg, E. Lucchinetti, C. Garcia, T. Pasch, D. R. Spahn and M. C. Schaub

SHORT COMMUNICATIONS

577 Brain stem death and organ donation—11 years on
G. R. Park, M. Wilkins and T. Higgins

580 Early recovery after remifentanil-pronounced compared with propofol-pronounced total intravenous anaesthesia for short painful procedures
C. Hackner, O. Detsch, G. Schneider, S. Jelen-Esselborn and E. Kochs

583 Antagonism of sevoflurane anaesthesia by physostigmine: effects on the auditory steady-state response and bispectral index
G. Plourde, D. Chartrand, P. Fiset, S. Font and S. B. Backman

586 Assessment of intraoperative blood transfusion practice during elective non-cardiac surgery in an Indian tertiary care hospital
G. Niraj, G. D. Puri, D. Arun, V. Chakravarty, J. Aveek and P. Chari

589 Cost-effectiveness of three combinations of antiemetics in the prevention of postoperative nausea and vomiting
F. J. Pueyo, L. López-Olaondo, M. J. Sanchez-Ledesma, A. Ortega and F. Carrascosa

592 Release by hypoxia of a soluble vasoconstrictor from rabbit small pulmonary arteries
N. P. Talbot, P. A. Robbins and K. L. Dorrington

595 Circulating S100B is increased after bilateral femur fracture without brain injury in the rat
L. E. Pelinka, L. Szalay, M. Jafarmadar, R. Schmidhammer, H. Redl and S. Bahrami

CASE REPORTS

598 Postoperative pseudoepileptic seizures in a known epileptic: complications in recovery
L. Ng and N. Chambers

601 Intracranial placement of a nasotracheal tube after transnasal trans-sphenoidal surgery
M. Paul, M. Dueck, S. Kampe, F. Petzke and A. Ladra

605 CORRESPONDENCE

611 BOOK REVIEWS

NOVEMBER

EDITORIAL

615 Should perioperative management target oxygen delivery?
S. J. Mackenzie

CLINICAL INVESTIGATIONS

619 Effect of adding dopexamine to intraoperative volume expansion in patients undergoing major elective abdominal surgery
M. D. Stone, R. J. T. Wilson, J. Cross and B. T. Williams

625 Safety of human albumin—serious adverse events reported worldwide in 1998–2000
J.-L. Vincent, M. M. Wilkes and R. J. Navickis

631 Patient well-being after general anaesthesia: a prospective, randomized, controlled multi-centre trial comparing intravenous and inhalational anaesthesia
C. K. Hofer, A. Zollinger, S. Büchi, R. Klaghofer, D. Serafino, S. Bühlmann, C. Buddeberg, T. Pasch and D. R. Spahn

638 Optimization of desflurane administration in morbidly obese patients: a comparison with sevoflurane using an 'inhalation bolus' technique
L. E. C. De Baerdemaeker, M. M. R. F. Struys, S. Jacobs, N. M. M. Den Blauwen, G. R. P. J. Bossuyt, P. Pattyn and E. P. Mortier

651 Activation of electrocorticographic activity with remifentanil and alfentanil during neurosurgical excision of epileptogenic focus
G. McGuire, H. El-Beheiry, P. Manninen, A. Lozano and R. Wennberg

656 Cerebral embolization during cardiac surgery: impact of aortic atheroma burden
G. B. Mackensen, L. K. Ti, B. G. Phillips-Bute, J. P. Mathew, M. F. Newman, H. P. Grocott and the Neurologic Outcome Research Group (NORG)

662 Nociceptive and anaesthetic-induced changes in pulse transit time during general anaesthesia
S. Singham, L. Voss, J. Barnard and J. Sleigh

667 Cardiovascular changes after the three stages of nasotracheal intubation
S. Singh and J. E. Smith

672 Randomized comparison of the classic Laryngeal Mask Airway™ with the Airway Management Device™ during anaesthesia
T. M. Cook and M. V. Porter

678 Randomized crossover comparison of the ProSeal™ laryngeal mask airway with the Laryngeal Tube® during anaesthesia with controlled ventilation
T. M. Cook, C. McKinstry, R. Hardy and S. Twigg

684 Comparison of the effects of intrathecal ropivacaine, levobupivacaine and bupivacaine for Caesarean section
P. Gautier, M. De Kock, L. Huberty, T. Demir, M. Izydorczic and B. Vanderick

690 Epidural versus intrathecal morphine for postoperative analgesia after Caesarean section
C. Dualé, C. Frey, F. Bolandard, A. Barrière and P. Schoeffler

695 Sequential compression device with thigh-high sleeves supports mean arterial pressure during Caesarean section under spinal anaesthesia
R. S. N. Adsumelli, E. S. Steinberg, J. E. Schabel, T. A. Saunders and P. J. Poppers

LABORATORY INVESTIGATION

699 Lung density distribution in dynamic CT correlates with oxygenation in ventilated pigs with lavage ARDS
K. Markstaller, H.-U. Kauczor, N. Weiler, J. Karmrodt, M. Doebrich, M. Ferrante, M. Thelen and B. Eberle

REVIEW ARTICLES

709 Xenon: no stranger to anaesthesia
R. D. Sanders, N. P. Franks and M. Maze

718 Post-dural puncture headache: pathogenesis, prevention and treatment
D. K. Turnbull and D. B. Shepherd

SHORT COMMUNICATIONS

730 A novel method of deriving the effect compartment equilibrium rate constant for propofol
T. A. Lim

733 Spread of injectate with superficial cervical plexus block in humans: an anatomical study
J. J. Pandit, D. Dutta and J. F. Morris

736 Breathing gas perfluorocarbon measurements using an absorber filled with zeolites
H. Proquitté, M. Rüdiger, R. R. Wauer and G. Schmalisch

CASE REPORTS

739 Pulmonary thromboendarterectomy in a case of hereditary stomatocytosis
B. Murali, A. Drain, D. Seller, J. Dunning and A. Vuylsteke

742 Temporary cardiopulmonary bypass and isolated lung ventilation for tracheal stenosis and reconstruction
C. L. Chiu, B. T. Teh and C. Y. Wang

744 Anaesthetic management of coronary artery bypass grafting in a patient with central core disease and susceptibility to malignant hyperthermia on statin therapy
R. R. Johi, R. Mills, P. J. Halsall and P. M. Hopkins

747 Complete heart block during central venous catheter placement in a patient with pre-existing left bundle branch block
D. Unnikrishnan, N. Idris and N. Varshneya

749 Decreased bispectral index as an indicator of syncope before hypotension and bradycardia in two patients with needle phobia
N. N. Win, H. Kohase, T. Miyamoto and M. Umino

752 Use of the ProSeal™ laryngeal mask airway in a pregnant patient with a difficult airway during electroconvulsive therapy
N. Ivascu Brown, P. Fogarty Mack, D. M. Mitera and P. Dhar

755 CORRESPONDENCE

764 BOOK REVIEWS

DECEMBER

EDITORIAL

771 How low can we go?
J. R. Sneyd

CLINICAL INVESTIGATIONS

773 Bispectral index, serum drug concentrations and emergence associated with individually adjusted target-controlled infusions of remifentanil and propofol for laparoscopic surgery
S. C. Hoymork, J. Raeder, B. Grimsmo and P. A. Steen

781 Effects of propofol on cerebral oxygenation and metabolism after head injury
A. J. Johnston, L. A. Steiner, D. A. Chatfield, M. R. Coleman, J. P. Coles, P. G. Al-Rawi, D. K. Menon and A. K. Gupta

787 Isocapnic hyperpnoea accelerates recovery from isoflurane anaesthesia
A. Vesely, J. A. Fisher, N. Sasano, D. Preiss, R. Somogyi, H. El-Beheiry, A. Prabhu and H. Sasano

793 Increased carbon dioxide absorption during retroperitoneal laparoscopy
B. Streich, F. Decailliot, C. Perney and P. Duvaldestin

797 Real-time breath monitoring of propofol and its volatile metabolites during surgery using a novel mass spectrometric technique: a feasibility study
G. R. Harrison, A. D. J. Critchley, C. A. Mayhew and J. M. Thompson

800 Fluoride metabolism in smokers and non-smokers following enflurane anaesthesia
M. Laisalmi, A. Soikkeli, H. Kokki, H. Markkanen, A. Yli-Hankala, P. Rosenberg and L. Lindgren

805 Low-dose remifentanil infusion does not impair natural killer cell function in healthy volunteers
A. J. Cronin, N. M. Aucutt-Walter, T. Budinetz, C. P. Bonafide, N. A. DiVittore, V. Gordin, H. G. Schuler and R. H. Bonneau

810 Implicit memory formation in sedated ICU patients after cardiac surgery
J. Clark, L. Voss, J. Barnard and J. Sleigh

815 Constipation and its implications in the critically ill patient
S. M. Mostafa, S. Bhandari, G. Ritchie, N. Gratton and R. Wenstone

820 Study examining attitudes of staff, patients and relatives to witnessed resuscitation in adult intensive care units
A. S. Grice, P. Picton and C. D. S. Deakin

825 Comparison of 1% and 2% lidocaine epidural anaesthesia combined with sevoflurane general anaesthesia utilizing a constant bispectral index
A. Shono, S. Sakura, Y. Saito, K. Doi and T. Nakatani

830 Pharmacokinetics and efficacy of ropivacaine continuous wound instillation after joint replacement surgery
M. Bianconi, L. Ferraro, G. C. Traina, G. Zanoli, T. Antonelli, A. Guberti, R. Ricci and L. Massari

836 Randomized prospective study of the analgesic effect of nefopam after orthopaedic surgery
B. Du Manoir, F. Aubrun, M. Langlois, M. E. Le Guern, C. Alquier, M. Chauvin and D. Fletcher

842 Influence of peroperative opioid on postoperative pain after major abdominal surgery: sufentanil TCI versus remifentanil TCI. A randomized, controlled study
N. Derrode, F. Lebrun, J.-C. Levron, M. Chauvin and B. Debaene

850 Randomized, controlled, cross-over clinical trial comparing intravenous midazolam sedation with nitrous oxide sedation in children undergoing dental extractions
K. E. Wilson, N. M. Girdler and R. R. Welbury

857 Supplemental oxygen does not reduce postoperative nausea and vomiting after thyroidectomy
J. L. Joris, N. J. Poth, A. M. Djamadar, D. I. Sessler, E. E. Hamoir, T. R. Defêchereux, M. R. Meurisse and M. L. Lamy

LABORATORY INVESTIGATIONS

862 Comparison of morphine-6-glucuronide and morphine on respiratory depressant and antinociceptive responses in wild type and μ-opioid receptor deficient mice
R. Romberg, E. Sarton, L. Teppema, H. W. D. Matthes, B. L. Kieffer and A. Dahan

871 Comparison of isoflurane and propofol–fentanyl anaesthesia in a swine model of asphyxia
T. Kurita, K. Morita, T. Kazama and S. Sato

878 Dopexamine reverses colonic but not gastric mucosal perfusion defects in lethal endotoxin shock
J. J. Tenhunen, T. J. Martikainen, A. Uusaro and E. Ruokonen

REVIEW ARTICLE

886 Anaesthesia for spinal surgery in adults
D. A. Raw, J. K. Beattie and J. M. Hunter

SHORT COMMUNICATION

905 Quality of perioperative AEP—variability of expert ratings
G. Schneider, W. Nahm, E. F. Kochs, P. Bischoff, C. J. Kalkman, H. Kuppe and C. Thornton

CASE REPORTS

909 Metformin lactic acidosis, acute renal failure and rofecoxib
G. Price

911 Severe paradoxical intracranial embolism and pulmonary emboli during hip hemiarthroplasty
E. Narimatsu, M. Kawamata, M. Hase, Y. Kurimoto, Y. Asai and A. Namiki

913 Non-invasive ventilation to avoid tracheal intubation in a patient with Guillain-Barré syndrome
R. M. Pearse, A. Draper and R. M. Grounds

916 Anatomical variations of the phrenic nerve and its clinical implication for supraclavicular block
P. E. Bigeleisen

918 Inadvertent intrathecal injection of tramadol
N. A. Barrett and S. R. Sundaraj

921 CORRESPONDENCE

927 BOOK REVIEWS

930 INDEX TO VOLUME 91